



Product Service

CERTIFICATE

No. Z1A 027944 0030 Rev. 01

Holder of Certificate: **Facal s.r.l.**
Zone Industriale
Via di Vittorio 42
46045 Marmirolo (MN)
ITALY

Certification Mark:



Product: **Standing step ladders**

Tested according to: EN 131-1:2019
EN 131-2:2010/A2:2017
EN 131-3:2018
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: MES1901372A00TR

Valid until: 2027-07-13

Date, 2024-01-25

(Andrea Rotundo)

CERTIFICATE

No. Z1A 027944 0030 Rev. 01

Model(s):

LF/3; LF/4; LF/5; LF/6; LF/7; LF/8; LF/3M; LF/4M;
 LF/5M; LF/6M; LF/7M; LF/8M; GM/3; GM/4; GM/5;
 GM/6; GM/7; GM/8; GM/3M; GM/4M; GM/5M; GM/6M;
 GM/7M; GM/8M; BT/3P; BT/4P; BT/5P; BT/6P; BT/7P;
 BT/8P; DL/3; DL/4; DL/5; DL/6; DL/7; DL/8; GLD/3;
 GLD/4; GLD/5; GLD/6; GLD/7; GLD/8.

Parameters:

CODE	DESCRIPTION	STEPS	STANDING HEIGHT [mm]	SUPPORTING SECTION [mm]	LOAD MAX [kg]	MATERIAL
LF/3	Alfa 3 gr.	3	2520	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
LF/4	Alfa 4 gr.	4	2740	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
LF/5	Alfa 5 gr.	5	2950	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
LF/6	Alfa 6 gr.	6	3170	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
LF/7	Alfa 7 gr.	7	3390	42x20x1,35 + 35x20x1,25	150	Aluminium alloy 5049 H26
LF/8	Alfa 8 gr.	8	3610	42x20x1,70 + 35x20x1,35	150	Aluminium alloy 5049 H28+H26
LF/3M	Alfa Maxi 3 gr.	3	2520	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
LF/4M	Alfa Maxi 4 gr.	4	2740	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
LF/5M	Alfa Maxi 5 gr.	5	2950	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
LF/6M	Alfa Maxi 6 gr.	6	3170	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
LF/7M	Alfa Maxi 7 gr.	7	3390	42x20x1,35 + 35x20x1,25	150	Aluminium alloy 5049 H26
LF/8M	Alfa Maxi 8 gr.	8	3610	42x20x1,70 + 35x20x1,35	150	Aluminium alloy 5049 H28+H26
GM/3	Gamma 3 gr.	3	2520	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GM/4	Gamma 4 gr.	4	2740	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GM/5	Gamma 5 gr.	5	2950	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GM/6	Gamma 6 gr.	6	3170	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GM/7	Gamma 7 gr.	7	3390	42x20x1,35 + 35x20x1,25	150	Aluminium alloy 5049 H26
GM/8	Gamma 8 gr.	8	3610	42x20x1,70 + 35x20x1,35	150	Aluminium alloy 5049 H28+H26
GM/3M	Gamma Maxi 3 gr.	3	2520	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GM/4M	Gamma Maxi 4 gr.	4	2740	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GM/5M	Gamma Maxi 5 gr.	5	2950	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GM/6M	Gamma Maxi 6 gr.	6	3170	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GM/7M	Gamma Maxi 7 gr.	7	3390	42x20x1,35 + 35x20x1,25	150	Aluminium alloy 5049 H26
GM/8M	Gamma Maxi 8 gr.	8	3610	42x20x1,70 + 35x20x1,35	150	Aluminium alloy 5049 H28+H26
BT/3P	Beta 3 gr.	3	2520	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
BT/4P	Beta 4 gr.	4	2740	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26

CERTIFICATE

No. Z1A 027944 0030 Rev. 01

CODE	DESCRIPTION	STEPS	STANDING HEIGHT [mm]	SUPPORTING SECTION [mm]	LOAD MAX [kg]	MATERIAL
BT/5P	Beta 5 gr.	5	2950	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
BT/6P	Beta 6 gr.	6	3170	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
BT/7P	Beta 7 gr.	7	3390	42x20x1,35 + 35x20x1,25	150	Aluminium alloy 5049 H26
BT/8P	Beta 8 gr.	8	3610	42x20x1,70 + 35x20x1,35	150	Aluminium alloy 5049 H28+H26
DL/3	Delta 3 gr.	3	2520	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
DL/4	Delta 4 gr.	4	2740	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
DL/5	Delta 5 gr.	5	2950	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
DL/6	Delta 6 gr.	6	3170	42x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
DL/7	Delta 7 gr.	7	3390	42x20x1,35 + 35x20x1,25	150	Aluminium alloy 5049 H26
DL/8	Delta 8 gr.	8	3610	42x20x1,70 + 35x20x1,35	150	Aluminium alloy 5049 H28+H26
GLD/3	Golden 3 gr	3	1200	45x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GLD/4	Golden 4 gr	4	1420	45x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GLD/5	Golden 5 gr	5	1640	45x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GLD/6	Golden 6 gr	6	1860	45x20x1,25 + 35x20x1,25	150	Aluminium alloy 5049 H26
GLD/7	Golden 7 gr	7	2080	45x20x1,35 + 35x20x1,25	150	Aluminium alloy 5049 H26
GLD/8	Golden 8 gr	8	2300	45x20x1,70 + 35x20x1,35	150	Aluminium alloy 5049 H28+H26