

MAIN COMPONENTS: CAGES

LADDER



Without wall brackets



Code	rungs number	(mm)	(kg)	(m ³)	Ean
SG 180	6	1795	3,2	0,052	8028406105800
SG 210	7	2095	3,8	0,062	8028406105817
SG 240	8	2395	4,2	0,070	8028406105824
SG 270	9	2695	4,6	0,079	8028406105831
SG 300	10	2995	5,2	0,088	8028406105848
SG 330	11	3295	5,8	0,097	8028406105855

Wall brackets every 2 m

SAFETY CAGE (including fasteners)



Fastening bracket:
Ladder and safety
cage connection



EN 14122-4 EUROPEAN NORM 	GA 388/EN	-	388	6,1	0,047	8028406106203
	GA 688/EN	-	688	7,2	0,080	8028406106210
	GA 1726/EN	-	1726	13,0	0,210	8028406106227
	GA 2026/EN	-	2026	14,2	0,250	8028406106234
	GA 2326/EN	-	2326	15,2	0,280	8028406106241
	GA 2626/EN	-	2626	16,2	0,320	8028406106258
	GA 2926/EN	-	2926	17,2	0,350	8028406106265
	GA 3226/EN	-	3226	20,4	0,380	8028406106272

LADDER + CAGE



Without wall brackets



EN 14122-4 EUROPEAN NORM 	SGA 180/EN	6	1795	16,2	0,270	8028406106296
	SGA 210/EN	7	2095	18,0	0,320	8028406106319
	SGA 240/EN	8	2395	19,4	0,350	8028406106333
	SGA 270/EN	9	2695	20,8	0,400	8028406106357
	SGA 300/EN	10	2995	22,4	0,440	8028406106371
	SGA 330/EN	11	3295	26,2	0,480	8028406106395

Wall brackets every 2 m

MAIN COMPONENTS: EXIT MODULES

SIMPLE EXIT MODULE



Without wall brackets



Code	kg	m ³
GA-SB714/EN	21,5	0,36

EXIT MODULE WITH RAIL



Without wall brackets



Code	kg	m ³
GA-SB714P/EN	24	0,5

EXIT MODULE WITH GATE



Without wall brackets



Code	kg	m ³
GA-SB714C/EN	22,5	0,36

EXIT MODULE WITH RAIL AND GATE



Gate included




Without wall brackets



Code	kg	m ³
GA-SB714PC/EN	25	0,5

BASELINE DIMENSIONS



* Customized designs are available on demand

CHANGE OF FLIGHT MODULE WITH LADDERS



Without wall brackets



Code	kg	m ³
GA-MSD/EN	39	0,60



MAIN COMPONENTS: WALL BRACKETS

Vertical space between wall brackets should not be more than 2,00 m.

Wall bracket 1 FE-165

Fix:
Length 22,8 cm
Distance between wall and rung: 18 cm
Fastening into the wall through expansion screws (not included)



Wall bracket 2 FE-166

Fix:
Length 32,5 cm
Distance between wall and rung: 22 cm
Cemented into the wall





Wall bracket 3 STA165/315

Adjustable :
Length min 16,5 cm, max 30 cm
Fastening into the wall through expansion screws (not included)





Wall bracket 4 STA265/380

Adjustable :
Length min 26,5 cm, max 38 cm
Fastening into the wall through expansion screws (not included)





Wall bracket 5 STA350/450

Adjustable :
Length min 35 cm, max 45 cm
Fastening into the wall through expansion screws (not included)





Wall bracket 6 STA430/530

Adjustable :
Length min 43 cm, max 53 cm
Fastening into the wall through expansion screws (not included)




Wall bracket 7 STA520/670

Adjustable :
Length min 52 cm, max 67 cm
Fastening into the wall through expansion screws (not included)




Wall bracket 8 FE-170

Fix:
To use under the rest platform.
Fastening into the wall through expansion screws (not included)



WALL BRACKETS

Including screws, without expansion screws



MAIN COMPONENTS

ANTI-INTRUSION GATE

(aluminium and stainless steel + lock holder)



Code	kg	m³
GA-INTRUSIONE	3,6	0,024

ACCESS TELESCOPIC LADDER WITH HOOKS

(Briko 5+5)



Code	kg	m³
BK4/2G	7,00	0,08

ACCESS FIX LADDER WITH HOOKS

(Stilo)



Code	kg	m³	Pieces
SL-09/G	3,4	0,047	1

OTHER COMPONENTS / SPARE PARTS

EXIT GATE HINGE

Code FU-124



EXIT HOOP SUPPORT

Code FU-127



EXIT RAIL CONNECTOR

Code FU-126



EXIT VERTICAL RAIL SUPPORT

Code FU-128



Angle bracket for diagonal/platform connection

Code FE-171



Angle bracket for threaded bar/platform connection

Code FE-169




Bracket for ladder's stile connection

Code FE-164



Square head screw 8x20

Code VI-137



Exit gate

Code GA-CANC714



kg: 2; m³: 0,01

Nylon joint

Code PL-334



kg: 0,03

Coated steel connector for ladder

Code PL-300



kg: 0,26

Standard cage hoop



Code	kg
ANSTD/EN	1,6

Exit hoop



Code	kg
ANSB714/EN	1,6

Double hoop for rest platform



Code	kg
2AN/EN	2,2

Cage vertical profile



Code	(mm)	(kg)	Ean
GA-V386	386	0,260	8028406105985
GA-V686	686	0,460	8028406105992
GA-V1724	1724	1,140	8028406106005
GA-V2024	2024	1,340	8028406106012
GA-V2324	2324	1,530	8028406106029
GA-V2624	2624	1,730	8028406106036
GA-V2924	2924	1,930	8028406106043
GA-V3224	3224	2,120	8028406106050

EN14122-4
EUROPEAN NORM

POSSIBLE COMPOSITIONS

LANDING HEIGHT		from m to m	3,30 3,60	3,60 3,90	3,90 4,20	4,20 4,50	4,50 4,80	4,80 5,10	5,10 5,40	5,40 5,70	5,70 6,00	6,00 6,30	6,30 6,60	6,60 6,90	
CODE	DESCRIPTION	KG	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	
SG180	Ladder m.1.80 width 450 - 6 rungs	3,2					2	1	1	1					
SG210	Ladder m.2.10 width 450-7 rungs	3,8						1			1				
SG240	Ladder m.2.40 width 450 -8 rungs	4,2	1						1			1			
SG270	Ladder m.2.70 width 450 -9 rungs	4,6		1						1	1	1	2	1	
SG300	Ladder m.3.00 width 450 -10 rungs	5,2			1									1	
SG330	Ladder m.3.30 width 450 -11 rungs	5,8				1									
GA388/EN	Safety cage mm 388	6,1			1		1								
GA688/EN	Safety cage mm 688	7,2				1	1	2							
GA1726/EN	Safety cage mm 1726	13,0							1	1					
GA2026/EN	Safety cage mm 2026	14,2									1				
GA2326/EN	Safety cage mm 2326	15,2										1			
GA2626/EN	Safety cage mm 2626	16,2											1		
GA2926/EN	Safety cage mm 2926	17,2												1	
GA3226/EN	Safety cage mm 3226	20,4													
GA-SB714/EN	Exit module width 714	21,5	1	1	1	1	1	1	1	1	1	1	1	1	
GA-MSD/EN	Change of flight module with rest platform	39,0													
FE-165	Standard fastening bracket for ladder	0,72	6	6	6	6	6	8	8	8	8	8	8	8	
PL-300	Coated steel connector 25x65 + screws	0,26	2	2	2	2	4	4	4	4	4	4	4	4	
COMPOSITION CODE			S330EN	S360EN	S390EN	S420EN	S450EN	S480EN	S510EN	S540EN	S570EN	S600EN	S630EN	S660EN	

LANDING HEIGHT		from m to m	11,70 12,00	12,00 12,30	12,30 12,60	12,60 12,90	12,90 13,20	13,20 13,50	13,50 13,80	13,80 14,10	14,10 14,40	14,40 14,70	14,70 15,00	15,00 15,30	
CODE	DESCRIPTION	KG	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	
SG180	Ladder m.1.80 width 450 - 6 rungs	3,2		2	2	2	4	3	3	3	2	2	2	2	
SG210	Ladder m.2.10 width 450 - 7 rungs	3,8						1			1				
SG240	Ladder m.2.40 width 450 - 8 rungs	4,2							1			1			
SG270	Ladder m.2.70 width 450 - 9 rungs	4,6	2	1						1	1	1	2	1	
SG300	Ladder m.3.00 width 450 -10 rungs	5,2	1		1									1	
SG330	Ladder m.3.30 width 450 - 11 rungs	5,8				1									
GA388/EN	Safety cage mm 388	6,1		1	1	1	1	1							
GA688/EN	Safety cage mm 688	7,2		1	1	1	1	1							
GA1726/EN	Safety cage mm 1726	13,0					2	2	3	3	2	2	2	2	
GA2026/EN	Safety cage mm 2026	14,2									1				
GA2326/EN	Safety cage mm 2326	15,2										1			
GA2626/EN	Safety cage mm 2626	16,2	1	1									1		
GA2926/EN	Safety cage mm 2926	17,2	1		1									1	
GA3226/EN	Safety cage mm 3226	20,4				1									
GA-SB714/EN	Exit module width 714	21,5	1	1	1	1	1	1	1	1	1	1	1	1	
GA-MSD/EN	Change of flight module with rest platform	39,0	1	2	2	2	2	2	2	2	2	2	2	2	
FE-165	Standard fastening bracket for ladder	0,72	10	8	8	8	8	8	8	8	10	10	10	10	
PL-300	Coated steel connector 25x65 + screws	0,26	6	6	6	6	8	8	8	8	8	8	8	8	
COMPOSITION CODE			S1170EN	S1200EN	S1230EN	S1260EN	S1290EN	S1320EN	S1350EN	S1380EN	S1410EN	S1440EN	S1470EN	S1500EN	

	6,90 7,20	7,20 7,50	7,50 7,80	7,80 8,10	8,10 8,40	8,40 8,70	8,70 9,00	9,00 9,30	9,30 9,60	9,60 9,90	9,90 10,20	10,20 10,50	10,50 10,80	10,80 11,10	11,10 11,40	11,40 11,70
	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES
		2	1								1	1	1	1		
			1	2	1						1				1	
					1	2	1					1				1
	1	1	1	1	1	1	2	3	2	1	1	1	2	1	1	1
									1	2				1	1	1
	1															
		2	1								1	1	1	1		
			1	2	1						1				1	
					1	2	1					1				1
							1	2	1				1			
									1	2				1	1	1
	1															
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
											1	1	1	1	1	1
	10	10	10	10	10	10	10	12	12	12	10	10	10	10	10	10
	4	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	S690EN	S720EN	S750EN	S780EN	S810EN	S840EN	S870EN	S900EN	S930EN	S960EN	S990EN	S1020EN	S1050EN	S1080EN	S1110EN	S1140EN

	15,30 15,60	15,60 15,90	15,90 16,20	16,20 16,50	16,50 16,80	16,80 17,10	17,10 17,40	17,40 17,70	17,70 18,00	18,00 18,30	18,30 18,60	18,60 18,90	18,90 19,20	19,20 19,50	19,50 19,80	19,80 20,10
	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES	PIECES
	1	1	1					2	2							
				1						2	1					
	1				1	1	1	1			1	2	1			
	2	3	2	2	2	1	1	1	2	1	1	1	2	3	2	1
			1	1	1	2	1	1	1	1	1	1	1	1	2	3
							1									
	1	1	1					2	2							
				1						2	1					
	1				1	1	1	1			1	2	1			
	1	2	1	1	1				1				1	2	1	
			1	1	1	2	1	1	1	1	1	1	1	1	2	3
							1									
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3
	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
	8	8	8	8	8	8	8	10	10	8	8	8	8	8	8	8
	S1530EN	S1560EN	S1590EN	S1620EN	S1650EN	S1680EN	S1710EN	S1740EN	S1770EN	S1800EN	S1830EN	S1860EN	S1890EN	S1920EN	S1950EN	S1980EN